Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S17 7	3	S162 and "geographical address" .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 16:09
S17 6	115	(S162 or "3") and "geographical address"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 16:09
S16 2	38	local adj ((service services) adj (processor processors))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 16:02
S17 5	27	S173 and S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:50
S17 4	101765	(determin\$ calculat\$) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:50
S17 3	247	(S168 with address).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:49
S17 2	869	S168 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:49
S17 1	4454	S168 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:49
S17 0	0	(local service) adj processor11 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:48

, 						
S16 9	0	(local service) adj processor11 and adress	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:48
S16 8	8209	(local service) adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:48
S14 8	14	"local service processor" and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/01/19 15:48
\$16 7	59	(slot with address with processor). ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:32
S16 6	44	(pins with address with processor). ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:32
S16 5	0.	(".ti,ab.pins" with address with processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:20
S16 4	427	pins with address with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:20
S16 3	. 0	pins with address with procesor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 15:20
S17	86	(monitor track) and "blade server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 14:58
S16 1	2	"6044411".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 14:32

S1	688	(710/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 14:32
S16 0	22	("geographical address").ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 18:03
S15 9	122	"geographical address"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 18:02
S15 8	67	S154 and S157	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 18:02
S15 7	54912	address near3 (determin\$ calculate\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:56
S15 6	3	S154 and S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:55
S15 5	787	710/301	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:55
S15 4	337	(processor same address same insert\$).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:54
S15 0	2	"5280398".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:53
S15 1	2 ·	"6138250".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:51

			Г			
S15 2	2	"5822581".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:50
S15 3	2	"5251150".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:49
S14 9	10	"5280398"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:49
S14 7	37	"local service processor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:41
S14 6	3	"local service processor" and "geographical address"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:40
S14 4	17	((monitor\$ track\$) near3 (insert\$ remov\$)) and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF _:	2005/01/18 17:40
S14 3	1524	(713/200).CCLS.	USPAT	OR	OFF	2005/01/10 10:21
S14 2	5	(("5251150") or ("5822581") or ("6138250") or ("5280398") or ("6662119")).PN.	USPAT	OR	OFF	2005/01/10 10:21
S13 4	9	((monitor\$ track\$) near3 (insert\$ remov\$)) and S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:21
S14 1	44	security same S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:41
S14 0	8645	((monitor\$ track\$) near3 (insert\$ remov\$)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:22

S13 6	410	((monitor\$ track\$) near3 (insert\$ remov\$)) and S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:21
S13 5	106873	("361").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:19
S13 3	329	(insert\$ remov\$) and S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:17
S13 2	61	(tamper\$ security) and \$131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:16
S13	360	(361/726).CCLS.	USPAT	OR	OFF	2005/01/10 09:13
S13 0	3	(("6044411") or ("6363452") or ("6076142")).PN.	USPAT	OR .	OFF	2005/01/10 09:12
S12 9	23	impedance and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 19:09
S12 8	1198	tamper\$ near2 (latch mechanism)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 18:41
S12 7	40	(monitor\$ near3 (insert\$ remov\$)) and S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 18:41
S12 5	18091	track\$ near3 (insert\$ remov\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 17:59
S12 6	19	S124 and S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 17:56

S12 4	4732	713/200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 17:55
S12 3	9	(insert\$ remov\$).ti,ab. and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 17:53
S12 2	167	(insert\$ remov\$) and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:45
S12 1	236	tamper and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:44
S12 0	33302	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:43
S11 9	1	("0000709").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:43
S11 8	4	((track\$) near3 (remov\$ insert\$)) and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:43
S11 4	36	((track\$ monitor\$) near3 (remov\$ insert\$)) and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:09
S11 2	23	tamper\$ and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:55
S11 7	3	("5761697" "6122704" "6330977").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 14:07

S11 6	8645	((track\$ monitor\$) near3 (remov\$ insert\$)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:51
S11 5	32042	((track\$ monitor\$) near3 (remov\$ insert\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:51
S11 3	205	track\$ and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:50
S11 1	2	"6,745,147".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/01/07 13:49
S11 0	2	"6170059".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:46
S10 9	9	tamper and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:44
S10 8	9	tamper and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/01/07 13:43
S10 7	1198	S102 S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:39
S10 6	596	710/302	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:39
S10 5	863	S103 S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:39

S10	387	(710/302).CCLS.	US-PGPUB;	OR	OFF	2005/01/07 13:39
4			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S10 3	523	(710/301).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:39
S10 2	780	710/301	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:38
S99	6	S89 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:38
S10 1	2	("6170059").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 13:36
S10 0	* · 8	(("6076142") or ("6427176") or ("6363452") or ("6044411")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:35
S98	5	S89 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:28
S97	10732	(monitor track) near3 remov\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:26
S96	2258	(monitor track) near3 removal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:26
S95	7	S92 and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:19

	T			1	T	
S94	86	S89 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:19
S93	111513	change near4 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:19
S92	90	(latch switch).ti,ab. and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:19
S91	503	(latch switch) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2004/12/17 17:15
S90	60	(blade rack) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:15
S89	852	((710/301) or (710/302)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:12
S3	341	(710/302).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 17:11
S88	26	(tamper security) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:27
S87	1	(tamper sceurity) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:27

S86	382	(710/302).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:27
S85	515	(710/301).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:25
S84	2	("20030182482").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:21
S83	2	("20030154340").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:21
S82	4	"2003015434"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/12/15 15:20
S81	2	"20030105904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:19
S18	19	rack and ((710/104).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR-	OFF	2004/12/15 15:18